Supplementary material to article by E. Netterlid et al. "Does Allergen-specific Immunotherapy Induce Contact Allergy to Aluminium?

Table SIII. Results of patch-tests and information concerning atopic dermatitis (AD) and deodorant sensitivity in the 8 participants with contact allergy to aluminium

Sex	Age, years	Group	Patch-test to aluminium								
			2.0% <sup>c</sup>		10.0%°		20.0% <sup>c</sup>	Finn Chamber			
			Day 3	Day 7	Day 3	Day 7	Day 4 <sup>a</sup>	Day 3	Day 7	AD	Deodorant sensitivity
Expos	sed										
F	18	1	+	+	++	++	$NT^b$	_	_	Yes	No
F	16	1	_	_	+	(+)	NT	_	_	Yes	No
M	12	3	(+)	+	(+)	+	+	_	_	Yes	No
M	9	2		(+)		+	NT	_	_	Yes	No
Unexp	posed										
F	15	0	(+)	_	(+)	+	+	_	_	No	No
F	13	0	+	+	++	+	NT	_	_	Yes	No
F	31	0	+	_	_	_	_	_	_	No	Yes
F	27	0	+	+	++	++	NT	_	_	Yes	Yes

<sup>&</sup>lt;sup>a</sup>If the result from the reading on day 3 was questionable a retest was conducted with 20.0% aluminium chloride hexahydrate in petrolatum on the same day and read only once, i.e. on day 4. <sup>b</sup>Not tested. <sup>c</sup>Aluminium chloride hexahydrate in petrolatum.

<sup>(+):</sup> doubtful patch-test reaction; +, ++: positive patch-test reactions with an allergic morphology; -: negative patch-test reaction.