Supplementary material to article by Y-C. Chen et al. "Atopic Dermatitis and Non-atopic Hand Eczema Have Similar Negative Impacts on Quality of Life: Implications for Clinical Significance"

Table SI. Demographic profile of participating nurses in this study

	Total	Control (<i>n</i> = 837)	Atopic dermatitis $(n=90)$	Non-atopic hand eczema (n=205)
Age, years, mean \pm SD	1,132	31.6 ± 7.47	30.5 ± 6.09	32.4 ± 7.13
Sex, <i>n</i> (%)				
Male	7	5 (0.6)	0 (0.0)	2 (0.98)
Female	1,125	832 (99.4)	90 (100)	203 (99.02)
Work hour (IQR), h/week (range)	1,132	45 (40–48)	48 (40–48)	44 (40–48)
Housework hour (IQR), h/week (range)	1,132	0 (0-5)	0 (0-5)	0 (0–5)
Years of working experience, n (%)		` /	` /	` '
≤5 years	445	337 (40.3)	36 (40.0)	72 (35.1)
6–10 years	325	245 (29.3)	28 (31.1)	52 (25.4)
>10 years	362	255 (30.5)	26 (28.9)	81 (39.5)
Housework, n (%)		· · · · · ·		, ,
No	601	454 (54.2)	50 (55.6)	97 (47.3)
Yes	531	383 (45.8)	40 (44.4)	108 (52.7)

SD: standard deviation; IQR: inter quartile range