Supplementary material to article by W. J. Lee et al. "Relative Frequency, Clinical Features, and Survival Outcomes of 395 Patients with Cutaneous Lymphoma in Korea: A Subgroup Analysis per 10-year Period"

Table SI. Demographic data on cutaneous lymphoma according to cell lineage and origin

0 0	•	
	Age distribution, years Mean (range)	Sex distribution, male/female Ratio; <i>n</i>
Cutaneous lymphoma		
Total $(n=395)$	45.3 (1-82)	1.18:1; 214/181
Primary $(n=289)$	43.9 (1-82)	1.11:1; 152/137
Secondary $(n=106)$	48.3 (10-82)	1.41:1; 62/44
Classification		
CTCL(n=314)	44.2 (2-82)	1.14:1; 167/147
CBCL $(n=81)$	48.5 (1-82)	1.38:1; 47/34
CTCL(n=246)	43.1 (2-82)	1.10:1; 129/117
CBCL(n=43)	46.3 (1-81)	1.15:1; 23/20
CTCL(n=68)	48.7 (10-75)	1.26:1; 38/30
CBCL(n=38)	51.4 (18-82)	1.7:1; 24/14

CTCL: cutaneous T-/NK-cell lineage lymphoma; CBCL: cutaneous B-cell lineage lymphoma.