

Table S1. Patients' characteristics and cutaneous adverse reactions (CAR) of 26 patients with adult T-cell leukaemia-lymphoma (ATL) treated by mogamulizumab

Case	Age, years/sex	Treatment cycles of mogamulizumab	ATL subtype	Previous treatment regimens, n	At the start of mogamulizumab treatment		Infusion reaction	Grade	General	PB	LN	Skin	months	PFS, months	OS, months	Cause of death	
					LDH (IU/l)	sIL-2R (U/ml)											
1	62/F	8	Acute	0	458	6560	Bone, PB	+	G4	CR	CR	–	–	50.5	50.5	Alive in CR	
2	80/F	4	Acute	2	339	21,869	PB, skin, LN	+	G4	CR	CR	–	CR	6	6.5	ATL	
3	62/F	8	Acute	2	411	37,644	PB, skin, CNS	+	G3	CR	CR	–	CR	18	20	ATL	
4	57/M	7	Acute	4	267	2810	Skin, LN	–	G3	CR	CR	–	CR	10.5	13.5	ATL	
5	59/M	5	Lymphoma	2	322	6586	PB, skin, LN	+	G2	CR	CR	–	–	31	31	Alive in CR	
6	83/F	4	Acute	1	355	17,137	PB, skin, LN	–	G2	PD	CR	0	–	9	9	Alive	
7	69/F	8	Lymphoma	1	265	1640	LN	+	G1	CR	–	–	CR	–	65	Alive in CR	
8	68/F	4	Acute	3	298	8830	PB, LN	+	–	PR	PR	–	–	4	24	Pneumonia	
9	73/F	8	Acute	2	657	37,998	PB, skin, LN	+	–	CR	CR	–	SD	3.5	18.5	ATL	
10	55/M	4	Acute	7	421	2780	Skin	–	–	SD	0	–	–	0	16.5	ATL	
11	70/F	8	Chronic	1	209	3415	PB	+	–	CR	CR	–	–	8	13	ATL	
12	71/M	8	Acute	1	431	7382	PB, skin, LN	–	–	SD	SD	–	–	2	12	Alive	
13	69/F	1	Acute	2	501	11,917	PB, skin, lung	–	–	SD	SD	–	SD	0	11	Pneumonia	
14	64/M	4	Acute	1	185	2160	LN	+	–	PD	–	–	PD	–	0	9	ATL
15	75/F	8	Acute	1	492	16,526	PB	–	–	CR	CR	–	–	4	6	Alive	
16	79/M	8	Acute	1	187	6377	PB, skin, LN	–	–	SD	CR	SD	PR	2	5	Alive	
17	79/M	2	Acute	1	2011	48,220	PB	+	–	PR	PR	–	–	0.5	4.5	ATL	
18	62/M	4	Acute	3	292	40,430	PB, skin, LN	+	–	PD	CR	PD	CR	0	4	ATL	
19	63/M	4	Acute	1	797	6791	PB, skin, LN	–	–	PD	CR	PD	SD	0	3	ATL	
20	76/M	3	Acute	2	598	PE, PB	–	–	PR	CR	–	–	1.5	3	ATL		
21	55/M	2	Acute	1	1996	5158	PB, CNS	+	–	PD	CR	–	0	2.5	ATL		
22	71/M	1	Acute	1	475	1789	PB	+	–	PD	PD	–	–	0	2	ATL	
23	60/M	3	Chronic	1	150	38,335	PB, skin, LN, CNS	–	–	PD	CR	0	1	1	1	ATL	
24	57/M	2	Acute	2	1400	7744	PB	–	–	PD	–	–	0	1	1	ATL	
25	64/F	3+	Chronic	1	235	4890	PB, LN, lung	+	–	SD	CR	–	1	1	1	Alive	
26	65/F	4	Acute	1	409	55,400	PB, BM	+	–	PR	–	–	–	1	1	Alive	

Bold indicates the patients who received 3 or less cycles of mogamulizumab treatment.

PB: peripheral blood; LN: lymph node; PE: pleural effusion; CNS: central nervous system; BM: bone marrow; PR: partial remission; CR: complete remission; SD: stable disease; PD: progressive disease; OS: overall survival; PFS: Progression-free survival.