

Table SII. Descriptive statistics for Psoriasis Area Severity Index (PASI) values. Unit of analysis is the treatment round

Visit	Types of treatment rounds	PASI						Lower 95% CI mean	Upper 95% CI mean
		n	Min	Median	Max	Mean	SD		
Baseline	Naïve	80	2.8	15.7	42.6	16.3	8.5	0.95	14.5
	Not naïve	58	0	10.65	37	13.6	9.1	1.20	11.3
	All	138	0	13.7	42.6	15.2	8.8	0.75	13.7
3 months	Naïve	69	0	4.6	35.5	6.0	5.7	0.69	4.7
	Not naïve	57	0	4.6	30.6	7.2	7.9	1.05	5.1
	All	126	0	4.6	35.5	6.6	6.8	0.61	5.4
6 months	Naïve	52	0	4.45	28.7	5.6	5.6	0.77	4.1
	Not naïve	39	0.3	3.9	32.7	6.7	7.3	1.16	4.3
	All	91	0	4.2	32.7	6.1	6.3	0.66	4.7
12 months	Naïve	47	0	3.9	24.8	4.8	4.6	0.68	3.4
	Not naïve	43	0	3.8	59.8	7.0	10.4	1.58	3.8
	All	90	0	3.85	59.8	5.9	7.9	0.84	4.2
18 months	Naïve	39	0	3.3	13.1	4.7	3.6	0.57	3.6
	Not naïve	31	0	3.4	21.2	4.5	4.1	0.74	3.0
	All	70	0	3.35	21.2	4.6	3.8	0.45	3.7
24 months	Naïve	40	0	2.65	12.9	3.8	3.4	0.53	2.7
	Not naïve	35	0	2.7	23.4	4.4	4.9	0.82	2.7
	All	75	0	2.7	23.4	4.1	4.1	0.48	3.1

SD: standard deviation; SEM: standard error of mean; 95% CI: 95% confidence interval.