Supplementary material to article by C. Pasternack et al. "Gastrointestinal Symptoms Increase the Burden of Illness in Dermatitis Herpetiformis: A Prospective Study"

Table SI. Median values and interquartile ranges for Psychological General Well-Being (PGWB) total score and subscores in female and male dermatitis herpetiformis (DH) patients at diagnosis and after one year on a gluten-free diet (GFD). A higher score indicates better quality of life

Symptom	DH patients at diagnosis			DH patients on GFD		
	Female $(n=35)$	Male $(n=17)$	<i>p</i> -value	Female $(n=33)$	Male $(n = 15)$	<i>p</i> -value
Total	90 (80–101)	104 (95–109)	0.034	102 (91–111)	112 (102–117)	0.089
Anxiety	20 (18–23)	23 (19–26)	0.145	24 (22–26)	26 (24–28)	0.092
Depression	15 (13–16)	17 (16–18)	0.027	16 (15–18)	18 (16–18)	0.119
Well-being	16 (13–18)	17 (16–18)	0.284	18 (14–20)	18 (17–21)	0.162
Self-control	14 (13–16)	16 (14–17)	0.113	15 (14–17)	16 (13–17)	0.492
General health	10 (8–12)	13 (10–15)	0.021	12 (10–15)	15 (11–16)	0.342
Vitality	16 (12–19)	18 (16–20)	0.155	18 (16–20)	20 (17–21)	0.075