

Table SI. Associated personality and psychiatric disorders in skin-restricted lupus patients

	At least one psychiatric disorder <i>n</i> (%)	Major depressive disorder <i>n</i> (%)	Suicide risk <i>n</i> (%)	At least one anxiety disorder <i>n</i> (%)	Alcoholism <i>n</i> (%)
No personality disorders	14 (38)	3 (8)	6 (16)	10 (27)	1 (3)
At least one personality disorder	12 (52)	3 (13)	6 (27)	8 (35)	3 (13)
CLUSTER A	5 (56)	0 (0)	0 (0)	4 (44)	2 (22)
Paranoid	5 (71)	0 (0)	0 (0)	4 (57)	2 (29)
Schizoid	1 (25)	0 (0)	0 (0)	1 (25)	1 (25)
Schizotypal	1 (100)	0 (0)	0 (0)	1 (100)	0 (0)
CLUSTER B	2 (100)	1 (50)	1 (50)	1 (50)	0 (0)
Borderline	2 (100)	1 (50)	1 (50)	1 (50)	0 (0)
Antisocial	NA	NA	NA	NA	NA
Histrionic	1 (100)	0 (0)	0 (0)	1 (100)	0 (0)
Narcissistic	1 (100)	0 (0)	0 (0)	1 (100)	0 (0)
CLUSTER C	10 (63)	1 (6)	4 (27)	7 (44)	3 (19)
Avoidant	7 (70)	1 (10)	4 (44)	6 (60)	1 (10)
Obsessive-compulsive	5 (63)	0 (0)	0 (0)	3 (38)	2 (25)
Dependent	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
Depressive	6 (67)	1 (11)	3 (33)	5 (56)	1 (11)
Passive-aggressive (Negativistic)	3 (100)	1 (33)	2 (67)	2 (67)	0 (0)

The presence of psychiatric disorder was compared in patients with personality disorder (PD) and patients without any PD (first line). Results showed no significant difference.