

Table SI. Prevalence of depression and anxiety in psoriatic patients from various countries

| Country | HADS – Anxiety | | | HADS – Depression | | |
|-------------|--|--|---|--|--|---|
| | Anxiety unlikely (<7 points) n (%) | Anxiety possible (8–10 points) n (%) | Anxiety probable (>10 points) n (%) | Depression unlikely (<7 points) n (%) | Depression possible (8–10 points) n (%) | Depression probable (>10 points) n (%) |
| Belgium | 18 (45) | 9 (22.5) | 13 (32.5) | 30 (75) | 5 (12.5) | 5 (12.5) |
| Denmark | 33 (76.7) | 6 (14) | 4 (9.3) | 37 (86.1) | 5 (11.6) | 1 (2.3) |
| France | 8 (47.1) | 5 (29.4) | 4 (23.5) | 13 (76.5) | 3 (17.6) | 1 (5.9) |
| Germany | 15 (51.7) | 4 (13.8) | 10 (34.5) | 18 (62.1) | 4 (13.8) | 7 (24.1) |
| Hungary | 27 (71) | 8 (21.1) | 3 (7.9) | 27 (71.1) | 8 (21) | 3 (7.9) |
| Italy | 20 (24.4) | 21 (25.6) | 41 (50) | 28 (34.1) | 20 (24.4) | 34 (41.5) |
| Netherlands | 16 (69.6) | 3 (13.0) | 4 (17.4) | 17 (73.9) | 5 (21.7) | 1 (4.4) |
| Norway | 81 (62.8) | 21 (16.3) | 27 (20.9) | 102 (79.1) | 14 (10.8) | 13 (10.1) |
| Poland | 28 (45.9) | 18 (29.5) | 15 (24.6) | 36 (59) | 15 (24.6) | 10 (16.4) |
| Russia | 52 (71.2) | 13 (17.8) | 8 (11) | 53 (72.6) | 14 (19.2) | 6 (8.2) |
| Spain | 37 (71.1) | 8 (15.4) | 7 (13.5) | 44 (84.6) | 7 (13.5) | 1 (1.9) |
| Turkey | 17 (63) | 6 (22.2) | 4 (14.8) | 17 (63) | 7 (25.9) | 3 (11.1) |
| UK | 29 (58) | 10 (20) | 11 (22) | 39 (78) | 5 (10) | 6 (12) |