Table SI. Patients with therapy-resistant morphea treated with abatacept from 2009 to 2016

	Age/ Sex	Diagnosis	Time*	MRSS		LoSCAT								
						Activity		Damage Total			al	— —Possible adverse		
				1 st	2 nd		effects	Earlier treatments	Comments					
1 2	29/F 60/F	GM GM, LSA	7 m 22 m	9.0	5.0	10	0	10	13	20	13	Nausea and vomiting	TC, UVA1, MTX, TC,T, UVA1, Chloro, MTX, AZA, CsA	Good effect with softening of skin according to patient. Few lesions with activity and tightening.
3	64/F	GM	3 m			6	3	11	11	17	14		UVA1, Chloro, MTX, CsA	Good effect with reduced symptom from skin, muscle, joints and general well-being according to patient.
4	44/F	GM	32 m	6	6							Herpes labialis	UVA1, SC, Chloro, MTX, AZA, CsA	Good effect according to patient.
4 ^a 5	24/F	GM	16 m 25 m			13 3	20 0	12 11	16 9	25 14	36 9	Headache	TC, UVA1, SC, Chloro, MTX	Good effect according to patient.
6	29/F	GM, LSA	12 m			12	0	9	16	21	16		TC, T, UVA1, Chloro, MTX, CsA	Treatment stopped due to wish to conceive.
7	17/F	GM, DM	1 m			23	b	40	b	63	b	Fatigue. Diagnosed with ulcerative colitis	TC, T, UVA1, MTX	
8	53/F	GM, DM	19 m	18	2							Hypertension	TC, Chloro, SC, AZA, MTX, CsA, Mycophen	
9	47/F	DM, PP	9 m			18	3	14	13	32	16	Fatigue. diarrhoea and fever	UVA1, Chloro, SC, MTX	Good effect initially, but treatment stopped due to increasing tightening of skin, aching sensation in left leg, and fatigue.
10	26/M	LM	13 m	5.0	1.5	b	0	b	10	b	10	Fatigue and muscle soreness.	UVA1, Chloro, MTX	
10 ^a			18 m			0	0	22	21	22				
11	17/M	LMCS				4	b	3	b	7	b	Sore throat, no fever	TC, T, UVA1, AZA, CsA, MTX	Awaiting follow-up
				Mea	leasure of elements							_		
		cm×cm				cm ²				_				
				1 st		2 nd		1 st		2 nd		-		
12	53/F	LMCS	3 m	14×3.6 14×1.9 16.4×3.2 12.8×1.6			50.4 26.6 52.5 20.5			Oral aphthous ulcers	TC, UVA1, MTX	Regrowth of hair		
13	48/F	LMCS	21 m			12×2 41.4				24			TC, UVA1, MTX	

^aSame patient. ^bMissing data. *Time between 1st and 2nd assessment in Table.

GM: generalized localized scleroderma/morphea; DM: deep morphea; LM: linear localized scleroderma/morphea of the extremities: LMCS: linear localized scleroderma/morphea "en coup de sabre"; PP: atrophoderma idiopathica of Pierini and Pasini (superficial morphea); C: topical corticosteroids; T: tacrolimus 0.1% ointment; UVA1: UVA1 phototherapy (30–50 j/cm²); Chloro: hydroxychloroquine; SC: systemic corticosteroids; MTX: methotrexate; AZA: azathioprine; CsA: cyclosporine A; mycophen: mycophenolate mofetil.