

Table SII. The difference between the numerical rating scale (NRS) and 5-D itch scale scores and skin dryness grades, according to demographic and clinical variables

	NRS Mean ± standard error	5-D itch scale Mean ± standard error	Skin dryness grade Mean ± standard error
Sex			
Male (n = 154)	1.45 ± 0.17	7.73 ± 0.25	2.01 ± 0.08
Female (n = 220)	1.80 ± 0.15	8.09 ± 0.20	2.02 ± 0.06
p-value	0.081	0.133	0.753
Age			
≤ 50 years	1.77 ± 0.18	7.96 ± 0.24	2.05 ± 0.08
51–60 years	1.61 ± 0.21	8.03 ± 0.29	1.91 ± 0.08
≥ 61 years	1.60 ± 0.19	7.86 ± 0.28	2.07 ± 0.09
p-value	0.552	0.771	0.797
Duration of current chemotherapy			
≤ 12 weeks	1.40 ± 0.19	7.55 ± 0.26	1.88 ± 0.08
13–24 weeks	1.57 ± 0.18	7.80 ± 0.26	2.12 ± 0.09
≥ 25 weeks	2.00 ± 0.21	8.47 ± 0.28	2.06 ± 0.08
p-value	0.026	0.013	0.104
First line chemotherapy			
Yes (n = 322)	1.65 ± 0.12	7.91 ± 0.17	2.65 ± 0.15
No (n = 52)	1.71 ± 0.27	8.12 ± 0.42	3.04 ± 0.37
p-value	0.849	0.651	0.227
Radiotherapy			
Yes (n = 99)	1.89 ± 0.26	8.04 ± 0.33	2.05 ± 0.08
No (n = 275)	1.57 ± 0.12	7.91 ± 0.17	2.00 ± 0.06
p-value	0.537	0.939	0.350
Rash			
Yes (n = 72)	2.64 ± 0.31	9.78 ± 0.37	3.58 ± 0.37
No (n = 302)	1.42 ± 0.12	7.50 ± 0.16	2.49 ± 0.15
p-value	< 0.001	< 0.001	0.006