

Supplementary References of excluded articles

1. Adams N, Sim J. Rehabilitation approaches in fibromyalgia. *Disabil Rehabil.* 2005;27(12):711-23.
2. Aronoff GM, Evans WO, Enders PL. A review of follow-up studies of multidisciplinary pain units. *Pain.* 1983;16(1):1-11.
3. Bearne LM, Byrne AM, Segrave H, et al. Multidisciplinary team care for people with rheumatoid arthritis: a systematic review and meta-analysis. *Rheumatol Int.* 2016;36(3):311-24. doi: 10.1007/s00296-015-3380-4. Epub 2015 Nov 12.
4. Brunner E, De Herdt A, Minguet P, et al. Can cognitive behavioural therapy based strategies be integrated into physiotherapy for the prevention of chronic low back pain? A systematic review. *Disabil Rehabil.* 2013;35(1):1-10. doi: 10.3109/09638288.2012.683848. Epub 2012 May 21.
5. Chou R, Deyo R, Friedly J, Skelly A, et al. Nonpharmacologic Therapies for Low Back Pain: A Systematic Review for an American College of Physicians Clinical Practice Guideline. *Ann Intern Med.* 2017;166(7):493-505. doi: 10.7326/M16-2459. Epub 2017 Feb 14.
6. Cutler RB, Fishbain DA, Rosomoff HL, et al. Does nonsurgical pain center treatment of chronic pain return patients to work? A review and meta-analysis of the literature. *Spine (Phila Pa 1976).* 1994 Mar;19(6):643-52.
7. de Rooij A, Roorda LD, Otten RH, et al. Predictors of multidisciplinary treatment outcome in fibromyalgia:a systematic review. *Disabil Rehabil.* 2013;35(6):437-49. doi: 10.3109/09638288.2012.699582. Epub 2012 Aug 14.
8. Deckert S, Kaiser U, Kopkow C, et al. A systematic review of the outcomes reported in multimodal pain therapy for chronic pain. *Eur J Pain.* 2016 ;20(1):51-63. doi: 10.1002/ejp.721. Epub 2015 May 29.
9. Demoulin C, Marty M, Genevay S, et al. Effectiveness of preventive back educational interventions for low back pain: a critical review of randomized controlled clinical trials. *Eur Spine J.* 2012 ;21(12):2520-30. doi: 10.1007/s00586-012-2445-2. Epub 2012 Jul 27.
10. Di Fabio RP. Efficacy of comprehensive rehabilitation programs and back school for patients with low back pain: a meta-analysis. *Phys Ther.* 1995;75(10):865-78.
11. Flor H, Fydrich T, Turk DC. Efficacy of multidisciplinary pain treatment centers: a meta-analytic review. *Pain.* 1992;49(2):221-30.
12. Garcia AN, Saragiotto BT. Multidisciplinary biopsychosocial rehabilitation for chronic low back pain (PEDro synthesis). *Br J Sports Med.* 2016 ;50(4):251-2. doi: 10.1136/bjsports-2015-095413. Epub 2015 Sep 23.
13. Goldenberg DL. Multidisciplinary Modalities in the Treatment of Fibromyalgia. *J Clin Psychiatry.* 2008;69 Suppl 2:30-4.
14. Goldenberg DL. Using multidisciplinary care to treat fibromyalgia. *J Clin Psychiatry.* 2009;70(5):e13.
15. Guzmán J, Esmail R, Karjalainen K, et al. WITHDRAWN: Multidisciplinary bio-psycho-social rehabilitation for chronic low-back pain. *Cochrane Database Syst Rev.* 2007 Jul 18;(2):CD000963.
16. Hallett EC, Pilowsky I. The response to treatment in a multidisciplinary pain clinic. *Pain.* 1982 Apr;12(4):365-74.
17. Hlobil H, Staal JB, Spoelstra M, et al. Effectiveness of a return-to-work intervention for subacute low-back pain. *Scand J Work Environ Health.* 2005;31(4):249-57.
18. Hoefsmit N, Houkes I, Nijhuis FJ. Intervention characteristics that facilitate return to work after sickness absence: a systematic literature review. *J Occup Rehabil.* 2012;22(4):462-77. doi: 10.1007/s10926-012-9359-z.
19. Hu XY, Chen NN2, Chai QY2, et al. Integrative treatment for low back pain: An exploratory systematic review and meta-analysis of randomized controlled trials. *Chin J Integr Med.* 2015 Oct 26. [Epub ahead of print]
20. Hüppé A, Raspe H. [Efficacy of inpatient rehabilitation for chronic back pain in Germany: a systematic review 1980-2001]. *Rehabilitation (Stuttg).* 2003;42(3):143-54.
21. Keel P. Pain Management Strategies and Team Approach. *Baillieres Best Pract Res Clin Rheumatol.* 1999; 13 (3): 493-506.

22. Kudrina I, Shir Y, Fitzcharles MA. Multidisciplinary treatment for rheumatic pain. *Best Pract Res Clin Rheumatol.* 2015 ;29(1):156-63. doi: 10.1016/j.berh.2015.04.029. Epub 2015 May 29.
23. Kuoppala J, Lamminpää A. Rehabilitation and work ability: a systematic literature review. *J Rehabil Med.* 2008 ;40(10):796-804. doi: 10.2340/16501977-0270.
24. Lühmann D, Stoll S, Burkhardt-Hammer T, et al. Prevention of relapsing backache. *GMS Health Technol Assess.* 2006 May 24;2:Doc12.
25. Maher CG. A systematic review of workplace interventions to prevent low back pain. *Aust J Physiother.* 2000;46(4):259-269.
26. Malone MD, Strube MJ, Scogin FR. Meta-analysis of non-medical treatments for chronic pain. *Pain.* 1988 ;34(3):231-44.
27. Nanadiego F, Seffinger M. Multidisciplinary Biopsychosocial Rehabilitation Improves Outcomes for Patients With Chronic Low Back Pain. *J Am Osteopath Assoc.* 2016 1;116(5):327-8. doi: 10.7556/jaoa.2016.068.
28. Nijs J, Van Oosterwijk J, De Hertogh W. Rehabilitation of chronic whiplash: treatment of cervical dysfunctions or chronic pain syndrome? *Clin Rheumatol.* 2009;28(3):243-51. doi: 10.1007/s10067-008-1083-x. Epub 2009 Jan 22.
29. Okifuji A, Hare BD. Management of musculoskeletal pain. In: Ebert MH, Kerns RD, editors. *Behavioral and Pharmacologic Pain Management:* Cambridge: Cambridge University Press; 2010.
30. Okifuji A1, Hare BD. Management of fibromyalgia syndrome: review of evidence. *Pain Ther.* 2013;2(2):87-104. doi: 10.1007/s40122-013-0016-9. Epub 2013 Sep 21.
31. Oliver K, Cronan TA, Walen HR. A Review of Multidisciplinary Interventions for Fibromyalgia Patients: Where Do We Go from Here? *J Musculoskeletal Pain.* 2001;9 (4):63-80.doi: http://dx.doi.org/10.1300/J094v09n04_07
32. Pengel HM, Maher CG, Refshauge KM. Systematic review of conservative interventions for subacute low back pain. *Clin Rehabil.* 2002;16(8):811-20.
33. Perrot S, Russell IJ. More ubiquitous effects from non-pharmacologic than from pharmacologic treatments for fibromyalgia syndrome: a meta-analysis examining six core symptoms. *Eur J Pain.* 2014;18(8):1067-80. doi: 10.1002/ejp.564.
34. Pincus T, Kent P, Bronfort G, et al. Twenty-five years with the biopsychosocial model of low back pain-is it time to celebrate? A report from the twelfth international forum for primary care research on low back pain. *Spine (Phila Pa 1976).* 2013;38(24):2118-23. doi: 10.1097/BRS.0b013e3182a8c5d6.
35. Rossy LA, Buckelew SP, Dorr N, et al. A meta-analysis of fibromyalgia treatment interventions. *Ann Behav Med.* 1999;21(2):180-91.
36. Rolli Salathé C, Elfering A, Melloh M. [Efficacy, utility and cost-effectiveness of multidisciplinary treatment for chronic low back pain]. *Schmerz.* 2012 Apr;26(2):131-49. doi: 10.1007/s00482-012-1148-2.
37. Sim J, Adams N. Systematic review of randomized controlled trials of nonpharmacological interventions for fibromyalgia. *Clin J Pain.* 2002;18(5):324-36.
38. Stanos S, Houle TT. Multidisciplinary and interdisciplinary management of chronic pain. *Phys Med Rehabil Clin N Am.* 2006;17(2):435-50, vii.
39. Thomsen AB, Sørensen J, Sjøgren P, et al. Economic evaluation of multidisciplinary pain management in chronic pain patients: a qualitative systematic review. *J Pain Symptom Manage.* 2001;22(2):688-98.
40. Turk DC, Okifuji A. Treatment of Chronic Pain Patients: Clinical Outcomes, Cost-Effectiveness, and Cost-Benefits of Multidisciplinary Pain Centers. *Critical Reviews™ in Physical and Rehabilitation Medicine.* 1998; 10: 181-208. doi: 10.1615/CritRevPhysRehabilMed.v10.i2.40.
41. Turner JA. Educational and behavioral interventions for back pain in primary care. *Spine (Phila Pa 1976).* 1996 15;21(24):2851-7; discussion 2858-9.
42. van der Hulst M, Vollenbroek-Hutten MM, IJzerman MJ. A systematic review of sociodemographic, physical, and psychological predictors of multidisciplinary rehabilitation-or, back school treatment outcome in patients with chronic low back pain. *Spine (Phila Pa 1976).* 2005;30(7):813-25.
43. van der Weide WE, Verbeek JH, van Tulder MW. Vocational outcome of intervention for low-back pain. *Scand J Work Environ Health.* 1997;23(3):165-78.

44. van Oostrom SH, Driessen MT, de Vet HC, et al. Workplace interventions for preventing work disability. *Cochrane Database Syst Rev*. 2009 Apr 15;(2):CD006955. doi: 10.1002/14651858.CD006955.pub2.
45. van Vilsteren M, van Oostrom SH, de Vet HC, et al. Workplace interventions to prevent work disability in workers on sick leave. *Cochrane Database Syst Rev*. 2015;(10):CD006955. doi: 10.1002/14651858.CD006955.pub3.
46. Verhagen AP, Scholten-Peeters GG, van Wijngaarden S, et al. Conservative treatments for whiplash. *Cochrane Database Syst Rev*. 2007;(2):CD003338.
47. Waterschoot FP, Dijkstra PU2, Hollak N3, et al. Dose or content? Effectiveness of pain rehabilitation programs for patients with chronic low back pain: a systematic review.
48. Wellington J. Noninvasive and alternative management of chronic low back pain (efficacy and outcomes). *Neuromodulation*. 2014;17 Suppl 2:24-30. doi: 10.1111/ner.12078.
49. Wiangkham T, Duda J, Haque S, et al. The Effectiveness of Conservative Management for Acute Whiplash Associated Disorder (WAD) II: A Systematic Review and Meta-Analysis of Randomised Controlled Trials. *PLoS One*. 2015;10(7):e0133415. doi: 10.1371/journal.pone.0133415. eCollection 2015.
50. Williams RM, Westmorland MG, Lin CA, et al. A Systematic Review of Workplace Rehabilitation Interventions for Work-Related Low Back Pain. *The International Journal of Disability Management Research*. 2006; 1(1): 21-30. doi: <https://doi.org/10.1375/jdmr.1.1.21>.
51. Williams RM, Westmorland MG, Lin CA, et al. Effectiveness of workplace rehabilitation interventions in the treatment of work-related low back pain: a systematic review. *Disabil Rehabil*. 2007;29(8):607-24.
52. Yu H, Côté P, Southerst D, et al. Does structured patient education improve the recovery and clinical outcomes of patients with neck pain? A systematic review from the Ontario Protocol for Traffic Injury Management (OPTIMa) Collaboration. *Spine J*. 2016;16(12):1524-1540. doi: 10.1016/j.spinee.2014.03.039. Epub 2014 Apr 4.
53. Papadopoulou D, Fassoulaki A, Tsoulas C, Siafaka I, Vadalouca A. A meta-analysis to determine the effect of pharmacological and non-pharmacological treatments on fibromyalgia symptoms comprising OMERACT-10 response criteria. *Clin Rheumatol*. 2016;35(3):573-86. doi: 10.1007/s10067-015-3144-2. Epub 2015 Dec 17.