

Table SI. Number of people treated for anogenital warts and mid-year population, men and women aged 15–34, 2001–2011

	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
15–19 years											
Men	248/142,934	273/145,263	297/148,753	381/153,438	526/158,697	563/163,583	712/168,414	906/173,511	1,013/177,269	761/180,986	480/182,922
Women	688/137,271	821/138,629	908/141,494	1,050/145,587	1,195/150,291	1,386/154,790	1,669/159,519	1,924/164,754	1,873/168,594	1,176/172,083	663/173,448
20–24 years											
Men	1,560/161,401	1,747/156,927	1,835/152,083	2,030/148,295	2,230/146,535	2,519/148,470	2,801/151,640	3,415/156,898	3,836/162,874	3,890/168,189	3,548/173,397
Women	1,726/157,502	1,916/154,098	2,115/149,088	2,127/145,039	2,214/142,638	2,604/143,710	2,883/146,203	3,105/150,760	3,221/156,282	3,073/161,613	2,840/166,608
25–29											
Men	1,818/192,443	1,974/186,274	2,049/181,511	2,114/176,295	2,099/170,276	2,377/164,047	2,486/161,115	2,770/158,506	2,916/156,529	2,991/155,506	3,053/157,771
Women	1,197/189,266	1,359/183,828	1,348/179,263	1,469/174,677	1,461/168,883	1,542/162,752	1,632/160,230	1,653/157,405	1,712/155,553	1,639/154,126	1,673/155,686
30–34											
Men	1,058/202,148	1,080/197,595	1,224/194,832	1,310/193,678	1,427/193,834	1,577/191,861	1,597/186,131	1,730/182,823	1,839/179,434	1,779/174,274	1,805/168,862
Women	634/193,996	689/191,059	695/189,817	736/190,033	798/191,217	890/190,692	922/185,188	998/181,587	1,059/178,499	970/173,596	900/167,953