

Table SI. Underlying diseases in 332 patients with BP180-mucous membrane pemphigoid (MMP)

Underlying diseases	Patients, <i>n</i>
Hypertension	22
Malignant tumours	21
Malignant lymphomas	3
Prostate cancer	3
Lung cancer	3
Liver cancer	2
Ovarian cancer	2
Pancreatic cancer	2
Metastatic cancer (unknown primary cancers)	2
Thyroid cancer	1
Uterine cancer	1
Oesophageal cancer	1
Gastric cancer	1
Diabetes mellitus	14
Heart diseases	13
Hyperlipidaemia	10
Rheumatoid diseases	7
Hyperuricaemia	7
Hepatitis C	5
Sjögren syndrome	4
Asthma	4
Kidney disease	6
Cerebrovascular disorder	3
Allergic rhinitis	3
Mental disorder	3
Metal allergy	2
Osteoporosis	2
Gastritis	2
Others ^a	One each

^aStevens-Johnson syndrome, bronchiolitis obliterans, Parkinson's disease, Ménière's disease, Hashimoto disease, hypothyroidism, collagen disease, allergic conjunctivitis, cataract, glaucoma, hypochromic anaemia, idiopathic thrombocytopenic purpura, alkaptonuria, spinal stenosis, hip osteoarthritis, chronic urticaria, meningioma, stomach ulcer, osteomyelitis of the jaw.