

Table SI. Demographic and clinical characteristics of 30 patients with cutaneous tuberculosis (CTB)

Variable	Jiangsu province (n = 15) n (%)	Non-Jiangsu province (n = 15) n (%)	Overall (n = 30) n (%)	p-value
Age, years, mean	53	49	51	0.95 ^a
Male sex	11 (73)	10 (67)	21 (70)	0.69 ^b
Birthplace				
Urban	6 (40)	4 (27)	10 (33)	0.44 ^b
Rural	9 (60)	11 (73)	20 (67)	
CTB type				
Lupus vulgaris	7 (47)	9 (60)	16 (53)	0.46 ^b
Ulcerosa cutis	2 (13)	2 (13)	4 (13)	
Scrofuloderma	1 (7)	1 (7)	2 (7)	
Verrucosa cutis	5 (33)	3 (20)	8 (27)	
Cavitation on chest radiograph	0 (0)	0 (0)	0 (0)	1 ^b
Purified protein derivative positive	13 (87)	15 (100)	28 (93)	0.08 ^b
Result of CTB culture				
Positive	15 (100)	15 (100)	30 (100)	1 ^b
Unknown or not done	0 (0)	0 (0)	0 (0)	
Result of acid-fast bacilli cutaneous samples				
Positive	6 (40)	9 (60)	15 (50)	0.27 ^b
Unknown or not done	2 (13)	4 (27)	6 (20)	

^aUnpaired t-test, comparing mean ages of patients in Jiangsu and non-Jiangsu provinces. ^b χ^2 test, comparing frequencies of patients in Jiangsu and non-Jiangsu provinces.