The format and content in this table has not been edited by ActaDV. **Table SIV.** Treatment of patients with metastatic cutaneous squamous cell carcinomas (mcSCC)

Treatment modalities of mcSCCs	Total	Male	Female	P value
Primary tumor, n	85	57	28	
Resection, n (%)	81 (95.3)	54 (94.7)	27 (96.4)	>.99
Radiation therapy, n (%)	31 (36.5)	23 (40.4)	8 (28.6)	.29
Radiation therapy alone, n (% of total)	1 (1.2)	0 (0.0)	1 (3.6)	
Curation aimed, n (% of radiated)	28 (90.3)	22 (95.7)	6 (75.0)	.16
Palliative, n (% of radiated)	3 (9.7)	1 (4.3)	2 (25.0)	.16
No treatment, n (%)	3 (3.5)	3 (5.3)	0 (0.0)	
Perioperative exitus, n (% of no treatment)	1 (33.3)	1 (33.3)	0 (0.0)	
Metastasis, n	85	57	28	
Resection, n (%)	78 (91.8)	52 (91.2)	26 (92.9)	>.99
Radiation therapy, n (%)	55 (64.9)	39 (68.4)	16 (57.1)	.31
Radiation therapy alone, n (%)	2 (2.6)	1 (1.8)	1 (3.6)	
Curation aimed, n (% of radiated)	43 (78.2)	33 (84.6)	10 (62.5)	.09
Palliative, n (% of radiated)	12 (21.8)	6 (15.4)	6 (37,.5)	.09
Only systemic treatment, n (%)	1 (1,2)	1 (1.8)	0 (0.0)	
No treatment, n (%)	4 (4.7)	3 (5.3)	1 (3.6)	
Perioperative exitus, n (% of no treatment)	2 (50.0)	2 (66.7)	0 (0.0)	
Systemic treatment, n (%)	11 (12.9)	10 (17,5)	1 (3.6)	.09
Systemic treatment alone, n (%)	0 (0.0)	0 (0.0)	0 (0.0)	
Pharmaceutical used				
Cisplatin, n (% of systemic treatment)	6 (54.5)	5 (50.0)	1 (100.0)	>.99
Fluorouracil, n (% of systemic treatment)	1 (9.1)	1 (10.0)	0 (0.0)	>.99
Paclitaxel, n (% of systemic treatment)	2 (18.2)	2 (20.0)	0 (0.0)	>.99
Cetuximab, n (% of systemic treatment)	5 (45.5)	5 (50.0)	0 (0.0)	>.99
Cemiplimab, n (% of systemic treatment)	2 (18.2)	2 (20.0)	0 (0.0)	>.99