Palmoplantar Pruritus Subsiding after Blastocystis hominis Eradication

Gerold Kick, F. Rueff and Bernhard Przybilla

Klinik und Poliklinik für Dermatologie und Allergologie, Ludwig-Maximilians-Universität München, Frauenlobstr. 9-11, 80337 Munich, Germany.

Accepted November 19, 2001.

Sir,

Despite more than 80 years of controversial debate since its first description by Alexieff in 1911 (1), most issues regarding *Blastocystis hominis* – taxonomy, epidemiology, pathogenicity, mode of transmission, clinical significance and therapy – have still to be resolved satisfactorily (2). While some authors consider *B. hominis* as a commensal protozoan without pathogenic significance (3–5), others suggest that it could cause gastrointestinal symptoms, such as diarrhoea, abdominal pain or discomfort, cramps, flatulence and nausea (6–8). In addition, an association of urticaria and *B. hominis* infection has been reported in 10 patients, and treatment with paromomycin cured the urticaria in these cases (9). Cutaneous rashes and itching might be further clinical variants of *B. hominis* infection (10).

CASE REPORT AND DISCUSSION

A 35-year-old woman presented with a 2-year history of attacks of intense palmoplantar itching, occurring predominantly at night. Initial symptomatic treatment with oral antihistamines did not yield significant improvement. Physical examination revealed no apparent skin lesions in the area involved. Differential blood cell count, including eosinophils, serum concentrations of electrolytes, creatinine, bilirubin, alkaline phosphatase, urea and glucose, as well as urine status, were all within normal limits. A search for possible underlying internal disease was unsuccessful. In particular, there were no indications of renal or hepatic disorders, autoimmune diseases, endocrinological diseases, hereditary angioedema or mastocytosis. Neurological examination disclosed no pathological findings. Since palmoplantar pruritus could be interpreted as an equivalent of urticaria, and since infection by some intestinal parasites can be associated with chronic urticaria, stool examinations were performed. B. hominis was identified in fecal samples on three different days by microscopic investigation; parasites such as worms, Amoeba, Lamblia, Cryptosporidia and Candida spp. were not detected. The patient was treated for 7 days by oral administration of paromomycin at a dose of about 25 mg/kg bodyweight (three times 500 mg daily). After a short exacerbation of the complaints on the second day of treatment, palmoplantar pruritus began to decrease on the third day, before completely subsiding and has not recurred now for 6 months. Three further stool analyses performed 1 month after treatment were negative for *B. hominis*.

This course suggests that infection by *B. hominis* was the cause of unbearable palmoplantar pruritus in this patient. The initial aggravation of the condition could indicate an underlying immunological mechanism quickly enhanced by antigen released from degraded *B. hominis* at the beginning of therapy.

REFERENCES

- 1. Alexieff A. Sur la nature des formations dites "kystes de Trichomonas intestinalis". CR Soc Biol 1911; 71: 296–298.
- 2. Stenzel Dj, Boreham PFL. Blastocystis hominis revisited. Clin Microbiol Rev 1996; 9: 563–584.
- 3. Shlim DR, Hoge CW, Rajah R, Rabold JG, Echeverria P. Is Blastocystis hominis a cause of diarrhea in travelers? A prospective control study in Nepal. Clin Infect Dis 1995; 21: 97–101.
- 4. Udkow MP, Markell EK. Blastocystis hominis: Prevalence in asymptomatic versus symptomatic hosts. J Infect Dis 1993; 168: 242–244.
- Sun T, Katz S, Tanenbaum T, Schenone C. Questionable clinical significance of Blastocystis hominis infection. Am J Gastroenterol 1989; 84: 1543–1547.
- Giacometti A, Cirioni O, Fiorentini A. Irritable bowel syndrome in patients with Blastocystis hominis infection. Eur J Clin Microbiol Infect Dis 1999; 18: 436–439.
- Telabasic S, Pikula ZP, Kapidzic M. Blastocystis hominis may be a potential cause of intestinal disease. Scand J Infect Dis 1991; 23: 389–390.
- Vannatta JB, Adamson D, Mullican K. Blastocystis hominis infection presenting as recurrent diarrhea. Ann Intern Med 1985: 102: 495–496.
- 9. Armentia A, Méndez J, Gómez A, Sanchis E, Fernandez A, de la Fuente R, et al. Urticaria by blastocystis hominis. Successful treatment with paromomycin. Allergol Immunopathol 1993; 4: 149–151.
- Garavelli PL, Scaglione L, Rossi MR, Scaglione L, Garavelli PL. Blastocystosis in Italy. Ann Parasitol Hum Comp 1989; 4: 391–395.