

Table III. Associations between Knee Injury and Osteoarthritis Outcome Score (KOOS) subscales and pain^a

Pain	KOOS subscales		Pain		Other symptoms		Function of daily living		Sport and recreation		Quality of life	
	Crude β (p)	Adjusted ^b β (p)	Crude β (p)	Adjusted ^b β (p)	Crude β (p)	Adjusted ^b β (p)	Crude β (p)	Adjusted ^b β (p)	Crude β (p)	Adjusted ^b β (p)	Crude β (p)	Adjusted ^b β (p)
Current pain	-0.04 (<0.01)	-0.03 (<0.01)	-0.04 (0.01)	-0.03 (0.04)	-0.05 (<0.01)	-0.04 (<0.01)	-0.06 (0.10)	-0.07 (0.10)	-0.05 (0.03)	-0.04 (0.09)	-0.05 (0.03)	-0.04 (0.09)
Worst pain ^c	-0.06 (<0.01)	-0.05 (<0.01)	-0.03 (0.15)	-0.02 (0.32)	-0.04 (0.02)	-0.03 (0.04)	-0.06 (0.31)	-0.06 (0.31)	-0.06 (0.06)	-0.05 (0.14)	-0.06 (0.06)	-0.05 (0.14)
Average pain ^c	-0.06 (<0.01)	-0.05 (<0.01)	-0.04 (0.09)	-0.03 (0.19)	-0.05 (<0.01)	-0.06 (<0.01)	-0.08 (0.17)	-0.09 (0.15)	-0.06 (0.04)	-0.05 (0.09)	-0.06 (0.04)	-0.05 (0.09)

^aAnalysed by linear regression.

^bAdjusted for age, sex, height, and weight.

^cDuring the past 14 days; β : regression coefficient.